



## Product Guide



# HAMMERITE

## Apply directly onto metal

Unlike conventional paints, **Hammerite** can be applied directly onto metal without using a primer and undercoat first. For metal that rusts like iron and steel, use **Hammerite** Direct to Rust Metal Paint.

For non-ferrous metal such as galvanised steel, copper & brass, use **Hammerite** Special Metals Primer followed by the **Hammerite** finish of your choice.

It's as easy as that! **Hammerite** Metal Paints require minimal surface preparation before application and offer long lasting protection, plus a great looking finish for both interior & exterior metal surfaces.

The effortless way to paint  
& protect metal  
No Primer or Undercoat Required




## How to apply **Hammerite** metal paint - in 2 easy steps...

Remove any loose rust or flaking paint if present with a wire brush. Abrade with coarse sandpaper. Wash with dilute detergent to remove dirt and grease and allow to dry.



Apply **Hammerite** Direct to Rust Metal Paint in the colour and finish of your choice - hammered or smooth.



**SAG RESISTANT • EASY TO APPLY  
QUICK DRYING**



**Hammerite** Direct to Rust Metal Paint can be painted directly onto rusty surfaces and thanks to its special 3 in 1 formula there is no need to use a primer or undercoat - saving you precious time!

Touch dry in 2 hours, **Hammerite** gives long-lasting protection and is suitable for use on a wide range of household metal surfaces including gates, railings, drainpipes, bedframes and garden furniture.



### Hammered Finish

A subtle hammered effect with a metallic sheen.

- Available in a variety of popular colours
- Can be applied by brush or roller



### Smooth Finish

A glossy, smooth finish for a flawless high sheen.

- Available in a variety of popular colours
- Can be applied by brush or roller



## Metal Primer

For non-ferrous metal such as galvanised steel, copper & brass, use **Hammerite** Special Metals Primer followed by the **Hammerite** finish of your choice.



### Special Metals Primer

Specially formulated to promote adhesion on non-ferrous metal surfaces such as aluminium, galvanized & stainless steel, chrome, brass & copper.

- Quick and easy to use
- Only one coat required
- Topcoat can be applied after 1-2 hours





## Product Guide

Dulux Paints Ireland  
Commons Road  
Cork, Ireland

T: 021 422 0222  
F: 021 422 0205

[www.hammerite.ie](http://www.hammerite.ie)

Hammerite is a trademark of the AkzoNobel  
group of companies © AkzoNobel 2010



### Mixed Sources

Product Group from well-managed  
forests, and other controlled sources  
[www.fsc.org](http://www.fsc.org) Cert no. SA-COC-1487  
©1996 Forest Stewardship Council

We have reproduced paint colours as accurately as printing will allow. Unfortunately we cannot guarantee an exact colour match and the colours contained in this guide should not be relied on as such. The appearance of the actual colour can be affected by the substrate and the texture of the surface. Try the product on a small inconspicuous area of the surface before undertaking full application.